30024

Toaster Brush, 2 pcs., 15.6", Medium, Red





Easily remove crumbs from toasters with this professional-grade Toaster Brush.

Technical Data

MaterialPolypropylene Polyester Stainless Steel (AISI 304)Complies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA-compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length1.5 e"Width2 "Not Weight0.2425 lbsTare Cardboard0.02 lbsGross Weight0.2425 lbsCubic Feet0.0341 flRecommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)356 °FMin. usage temperature4 °FMax. drying temperature21 °FMin. nyH-value in usage concentration2 pHMax. pH-value in Usage Concentration2 pHMax. pH-value in Usage Concentration2 pHMax. Drying temperature570502000240GTIN-12 Number570502000240GTIN-12 Number (Box quantity)1570502000247Customs Tariff No.9603909	Item Number	30024
Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Gomplies with UK 2019 No. 704 on food contact materials Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Quantity per Pallet (80 x 120 x 200 cm) 2700 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Length 15.6 " Width 2 " Height 0.02 Ibs Tare Cardboard 0.02 Ibs Gross Weight 0.2663 Ibs Cubic Feet 0.0341 ft3 Recommended sterilisation temperature (Autoclave) 249.8 " Max usage temperature (non food contact) 212 "F Min. usage temperature (non food contact) 366 "F Min. usage temperature 4 "F Max usage temperature 4 "F Max usage temperature 212 "F Min. usage temp	Visible bristle length	1.8 "
Stainless Steel (AISI 304) 200mplies with (EC) 1935/2004 on food contact materials ¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Yes Banufacturing Practice Yes FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 25 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2700 Pcs. Quantity Per Layer (Pallet) 150 Pcs. Length 15.6 " Width 2 " Height 0.2425 lbs Tare Cardboard 0.02 lbs Gross Weight 0.2663 lbs Cubic Feet 0.0341 ff3 Recommended sterilisation temperature (Autoclave) 249.8 " Max usage temperature (non food contact) 212 "F Max. advying temperature 4 "F Max. adving temperature 212 "F Max usage temperature (non food contact) 356 "F	Material	
Complies with (EC) 1935/2004 on food contact materials'YesProduced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA-compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length156 "Width2 "Height1.9 "Net Weight0.2425 lbsTare Cardboard0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature4 "FMax usage temperature4 "FMax. drying temperature212 "FMin. usage temperature212 "FMin. usage temperature212 "FMax. drying temperature212 "FMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300247Customs Tariff No.9603909		Stainless Steel (AISI
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing PracticeYesFDA-compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length15.6 "Width2 "Height0.2425 lbsTare Cardboard0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 fl3Recommended sterilisation temperature (Autoclave)249.8 "Max usage temperature4 "Max usage temperature (non food contact)366 "Min. usage temperature4 "Max. drying temperature4 "Max. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.9603909		304)
Manufacturing PracticeFDA-compliant raw material (CFR 21)YesComplies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length15.6 "Width2 "Height0.2425 lbsTare Cardboard0.02 lbsTare Total0.02 lbsCouis Feet0.0341 fl3Recommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)212 "Min. usage temperature4 "FMax. drying temperature (non food contact)25 PcMin. pH-value in usage concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number (Box quantity)15705020300247Customs Tariff No.9603009	Complies with (EC) 1935/2004 on food contact materials ¹	
Complies with UK 2019 No. 704 on food contact materialsYesMeets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length15.6 "Width2 "Height1.9 "Net Weight0.2425 lbsTare Cardboard0.02 lbsGross Weight0.2663 lbsCubic Feet0.341 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (food contact)356 "FMin. usage temperature (food contact)2 PHMax. drying temperature4 "FMax. drying temperature2 PHMax. pH-value in usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number (Box quantity)15705020300247Customs Tariff No.9603909	Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
Meets the REACH Regulation (EC) No. 1907/2006YesCalifornia Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length15.6 "Width2 "Height0.2425 lbsTare Cardboard0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (non food contact)356 °FMin. usage temperature4 °FMax. drying temperature4 °FMax. drying temperature2 PHMax. pH-value in usage concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	FDA-compliant raw material (CFR 21)	Yes
California Proposition 65 CompliantYesUse of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity25 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length15.6 "Width2 "Height1.9 "Net Weight0.2425 lbsTare Cardboard0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 "FMax usage temperature (non food contact)356 "FMin. usage temperature4 " FMax. drying temperature21 "FMin. pH-value in usage concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol ANoIs Halal and Kosher compliantYesBox Quantity25Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700Quantity Per Layer (Pallet)150Pcs.150Length15.6"Width2"Height1.9"Net Weight0.2425lbsTare Cardboard0.02lbsCubic Feet0.0341ft3Recommended sterilisation temperature (Autoclave)249.8Max usage temperature (food contact)212Max usage temperature4Max. drying temperature212Max. pH-value in usage concentration2Max. pH-value in Usage Concentration10.5Max. p	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Hala and Kosher compliantYesBox Quantity25Quantity per Pallet (80 x 120 x 200 cm)2700Quantity Per Layer (Pallet)150Pcs.150Length15.6Width2Height1.9Net Weight0.2425Ibs0.02Tare Cardboard0.02Gorss Weight0.2663Ibs0.02Cubic Feet0.0341Max usage temperature (food contact)249.8Max usage temperature (food contact)212Sin. usage temperature-4Max. drying temperature212Max. drying temperature212Max. pH-value in usage concentration10.5PH5705020300240GTIN-12 Number5705020300247Customs Tariff No.9603909	California Proposition 65 Compliant	Yes
Box Quantity25 Pcs.Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length156 "Width2 "Height1.9 "Net Weight0.2425 lbsTare Cardboard0.02 lbsTare Total0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)212 °FMin. usage temperature (non food contact)356 °FMax. drying temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number (Box quantity)15705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.9603909	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm)2700 Pcs.Quantity Per Layer (Pallet)150 Pcs.Length15.6 "Width2 "Height1.9 "Net Weight0.2425 lbsTare Cardboard0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)212 °FMax. usage temperature (non food contact)356 °FMin. usage temperature212 °FMin. usage temperature212 °FMin. usage temperature212 °FMin. usage temperature212 °FMin. usage temperature5705020300240GTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)150 Pcs.Length15.6 "Width2 "Height1.9 "Net Weight0.2425 lbsTare Cardboard0.02 lbsTare Total0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)212 °FMin. usage temperature (non food contact)356 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Box Quantity	25 Pcs.
Length15.6 "Width2 "Height1.9 "Net Weight0.2425 lbsTare Cardboard0.02 lbsTare Total0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)356 °FMin. usage temperature-4 °FMax. drying temperature212 °FMax. drying temperature212 °FMax. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Quantity per Pallet (80 x 120 x 200 cm)	2700 Pcs.
Width2Height1.9Net Weight0.2425Det Weight0.2425Tare Cardboard0.02Ibs0.02Tare Total0.02Gross Weight0.2663Ubic Feet0.0341ft3Recommended sterilisation temperature (Autoclave)249.8°FMax usage temperature (food contact)212Max usage temperature (non food contact)356Min. usage temperature-4°FMax. drying temperature212°FMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10.5gTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.9603909	Quantity Per Layer (Pallet)	150 Pcs.
Height1.9Net Weight0.2425lbsTare Cardboard0.02lbsTare Total0.02lbsGross Weight0.2663lbsCubic Feet0.0341ft3Recommended sterilisation temperature (Autoclave)249.8°FMax usage temperature (food contact)212°FMax usage temperature (non food contact)356°FMin. usage temperature-4°FMax. drying temperature212°FMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10.5pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300247GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.9603909	Length	15.6 "
Net Weight0.2425 lbsTare Cardboard0.02 lbsTare Total0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)356 °FMin. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300247Customs Tariff No.9603909	Width	2 "
Tare Cardboard0.02 lbsTare Total0.02 lbsGross Weight0.2663 lbsCubic Feet0.0341 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)356 °FMin. usage temperature-4 °FMax. drying temperature212 °FMax. drying temperature212 °FMin. usage concentration2 pHMax. pH-value in usage concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300247Gustoms Tariff No.9603099	Height	1.9 "
Tare Total0.02lbsGross Weight0.2663lbsCubic Feet0.0341ft3Recommended sterilisation temperature (Autoclave)249.8°FMax usage temperature (food contact)212°FMax usage temperature (non food contact)356°FMin. usage temperature-4°FMax. drying temperature212°FMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10.5pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300247Customs Tariff No.9603909	Net Weight	0.2425 lbs
Gross Weight0.2663lbsCubic Feet0.0341ft3Recommended sterilisation temperature (Autoclave)249.8°FMax usage temperature (food contact)212°FMax usage temperature (non food contact)356°FMin. usage temperature-4°FMax. drying temperature212°FMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration2pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number (Box quantity)15705020300247Customs Tariff No.9603909	Tare Cardboard	0.02 lbs
Cubic Feet0.0341ft3Recommended sterilisation temperature (Autoclave)249.8°FMax usage temperature (food contact)212°FMax usage temperature (non food contact)356°FMin. usage temperature-4°FMax. drying temperature212°FMax. drying temperature212°FMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10.5pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Tare Total	0.02 lbs
Recommended sterilisation temperature (Autoclave)249.8°FMax usage temperature (food contact)212°FMax usage temperature (non food contact)356°FMin. usage temperature-4°FMax. drying temperature212°FMin. pH-value in usage concentration2pHMax. pH-value in Usage Concentration10.5pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Gross Weight	0.2663 lbs
Max usage temperature (food contact)212 °FMax usage temperature (non food contact)356 °FMin. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300247Customs Tariff No.96039099	Cubic Feet	0.0341 ft3
Max usage temperature (non food contact)356 °FMin. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	249.8 °F
Min. usage temperature-4 °FMax. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Max usage temperature (food contact)	212 °F
Max. drying temperature212 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Max usage temperature (non food contact)	356 °F
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Min. usage temperature	-4 °F
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Max. drying temperature	212 °F
Recycling Symbol "7", Miscellaneous PlasticsNoGTIN-12 Number5705020300240GTIN-12 Number (Box quantity)15705020300247Customs Tariff No.96039099	Min. pH-value in usage concentration	2 pH
GTIN-12 Number 5705020300240 GTIN-12 Number (Box quantity) 15705020300247 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10.5 pH
GTIN-12 Number (Box quantity) 15705020300247 Customs Tariff No. 96039099	Recycling Symbol "7", Miscellaneous Plastics	No
Customs Tariff No.96039099	GTIN-12 Number	5705020300240
	GTIN-12 Number (Box quantity)	15705020300247
Country of Origin Sweden	Customs Tariff No.	96039099
	Country of Origin	Sweden

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.