

41793

## UST Hand Brush w/short handle, 10.2", Stiff, Blue



This ULTRA SAFE TECHNOLOGY (UST) short-handled Hand Brush comes with angled Filament Security Units for optimal cleaning of conveyor belts, production lines, machinery and food-preparation surfaces in high-risk areas. All UST brushes feature a unique bristle system that minimises the risk of contamination and bristle loss.

# Technical Data

|  |  |
|--|--|
| <b>Item Number</b>   | 41793  |
| <b>Visible bristle length</b>  | 1.5 "  |
| <b>Material</b>  | Polyester<br>Glass reinforced<br>Polypropylene   |
| <b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>              | Yes  |
| <b>Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice</b> | Yes  |
| <b>FDA-compliant raw material (CFR 21)</b>   | Yes  |
| <b>Complies with UK 2019 No. 704 on food contact materials</b>                         | Yes  |
| <b>Meets the REACH Regulation (EC) No. 1907/2006</b>                                   | Yes  |
| <b>Use of phthalates and bisphenol A</b>   | No   |
| <b>Is Halal and Kosher compliant</b>   | Yes  |
| <b>Design Registration No.</b>   | EU 002189654-0001,<br>EU 002650838-1-4, US<br>D839608, EU<br>002650580-1-7, GB<br>9002650830001-4, GB<br>900265505800001-7 |
| <b>Pat. Pending/Patent No.</b>   | EP2816930 validated in<br>DE, FR, GB and DK.<br>US9204712<br>EP2816929 validated in<br>DE, FR, GB and DK.<br>US9357831     |
| <b>Box Quantity</b>  | 10 Pcs.  |
| <b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>                                     | 960 Pcs.   |
| <b>Quantity Per Layer (Pallet)</b>   | 80 Pcs.  |
| <b>Length</b>  | 10.2 "   |
| <b>Width</b>   | 2.8 "  |
| <b>Height</b>  | 3.9 "  |
| <b>Net Weight</b>  | 0.3527 lbs   |
| <b>Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))</b>               | 0.01 lbs   |
| <b>Tare Cardboard</b>  | 0.05 lbs   |
| <b>Tare Total</b>  | 0.06 lbs   |
| <b>Gross Weight</b>  | 0.4136 lbs   |
| <b>Cubic Feet</b>  | 0.0643 ft3   |
| <b>Max usage temperature (food contact)</b>  | 176 °F   |
| <b>Max usage temperature (non food contact)</b>  | 176 °F   |
| <b>Recommended sterilisation temperature (Autoclave)</b>                               | 249.8 °F   |
| <b>Max. cleaning temperature (Dishwasher)</b>  | 199.4 °F   |

|   |                |
|---|----------------|
| <b>Max. drying temperature</b>                      | 212 °F         |
| <b>Min. usage temperature</b>                       | -4 °F          |
| <b>Max. pH-value in Usage Concentration</b>         | 10.5 pH        |
| <b>Min. pH-value in usage concentration</b>         | 2 pH           |
| <b>Recycling Symbol "7", Miscellaneous Plastics</b> | Yes            |
| <b>GTIN-13 Number</b>                               | 5705020417931  |
| <b>GTIN-14 Number (Box quantity)</b>                | 15705020417938 |
| <b>Customs Tariff No.</b>                           | 96039099       |
| <b>Country of Origin</b>                            | Denmark        |

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.