

29589

Aluminum Handle, Ø1",  
49.6", Black



Este mango con empuñadura codificada por color es compatible con todos los productos de la gama Vikan.

# Technical Data

<b>Item Number</b>	29589
<b>Material</b>	Anodised Aluminium Polypropylene
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	Yes
<b>Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>FDA-compliant raw material (CFR 21)</b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	Yes
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>California Proposition 65 Compliant</b>	Yes
<b>Use of phthalates and bisphenol A</b>	No
<b>Is Halal and Kosher compliant</b>	Yes
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>	500 Pcs.
<b>Quantity Per Layer (Pallet)</b>	50 Pcs.
<b>Product diameter</b>	1 "
<b>Length</b>	49.6 "
<b>Width</b>	1 "
<b>Height</b>	1 "
<b>Net Weight</b>	0.6614 lbs
<b>Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE))</b>	0.01 lbs
<b>Tare Cardboard</b>	0.03 lbs
<b>Tare Total</b>	0.04 lbs
<b>Gross Weight</b>	0.7033 lbs
<b>Cubic Feet</b>	0.0278 ft <sup>3</sup>
<b>Recommended sterilisation temperature (Autoclave)</b>	212 °F
<b>Max usage temperature (food contact)</b>	212 °F
<b>Max usage temperature (non food contact)</b>	212 °F
<b>Min. usage temperature</b>	-4 °F
<b>Max. drying temperature</b>	212 °F
<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	8 pH
<b>Recycling Symbol "7", Miscellaneous Plastics</b>	No
<b>GTIN-12 Number</b>	5705020295898
<b>GTIN-12 Number (Box quantity)</b>	15705020295895
<b>Customs Tariff No.</b>	82119500
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

3. Do not store the product below 32 °Fahrenheit.