

297352Q



Aluminium telescopic water  
fed handle w/Q coupling (Q),  
1600 - 2780 mm, Ø32 mm,  
Black



This professional telescopic water-fed handle (1600–2840 mm) has an insulated

sleeve for a comfortable grip and a quick-release hose connector. Maximum water pressure, 6 bars.

# Technical Data

<b>Item Number</b>	297352Q
<b>Material</b>	Anodised Aluminium Polypropylene Chromium-plated brass
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes **
<b>California Proposition 65 Compliant</b>	No
<b>SCIP number</b>	e49c50b5-7653-429c- b8f3-803d37b5fetc
<b>Use of phthalates and bisphenol A</b>	No
<b>Is Halal and Kosher compliant</b>	Yes
<b>Box Quantity</b>	5 Pcs.
<b>Quantity per Pallet (80 x 120 x 180-200 cm)</b>	500 Pcs.
<b>Quantity Per Layer (Pallet)</b>	25 Pcs.
<b>Product diameter</b>	1.3 "
<b>Length</b>	63 "
<b>Width</b>	1.3 "
<b>Height</b>	1.2 "
<b>Max. Length</b>	109.4 "
<b>Net Weight</b>	2.2487 lbs
<b>Tare Cardboard</b>	0.18 lbs
<b>Tare Total</b>	0.18 lbs
<b>Gross Weight</b>	2.4295 lbs
<b>Cubic Feet</b>	0.0561 ft3
<b>Max. bars pressure</b>	6 Bar
<b>Max usage temperature (non food contact)</b>	122 °F
<b>Min. pH-value in usage concentration</b>	4 pH
<b>Max. pH-value in Usage Concentration</b>	11 pH
<b>GTIN-13 Number</b>	5705022973022
<b>GTIN-14 Number (Box quantity)</b>	15705022973029
<b>Customs Tariff No.</b>	82119500
<b>Country of Origin</b>	Denmark

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.