Aluminum Telescopic Water fed Handle, 63.6 - 109.4", Ø1.3, White



Ergonomically designed to improve the user's working position, this water-fed telescopic handle with a hose nozzle and comfortable grip is easy to adjust to the required length. Fits any water-fed Vikan product. Maximum pressure, 6 bars. Maximum water termperature, 50 °C. Do not use with acid or chlorine.

## **Technical Data**

Item Number	29735
Material	Anodised Aluminium Polypropylene Chromium-plated brass
Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	No
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice	Yes
FDA-compliant raw material (CFR 21)	Yes
Complies with UK 2019 No. 704 on food contact materials	No
Meets the REACH Regulation (EC) No. 1907/2006	Yes **
California Proposition 65 Compliant	No
SCIP number	e49c50b5-7653-429c- b8f3-803d37b5fefc
Use of phthalates and bisphenol A	No
Is Halal and Kosher compliant	Yes
Box Quantity	5 Pcs.
Quantity per Pallet (80 x 120 x 200 cm)	500 Pcs.
Quantity Per Layer (Pallet)	25 Pcs.
Product diameter	1.3 "
Length	63.6 "
Width	1.3 "
Height	1.3 "
Max. Length	109.4 "
Net Weight	2.2266 lbs
Tare Cardboard	0.15 lbs
Tare Total	0.15 lbs
Gross Weight	2.381 lbs
Cubic Feet	0.0584 ft3
Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (food contact)	176 °F
Max usage temperature (non food contact)	176 °F
Min. usage temperature	-4 °F
Min. pH-value in usage concentration	2 pH
Max. pH-value in Usage Concentration	8 pH
Max. bars pressure	6 Bar
GTIN-12 Number	5705020029738
GTIN-12 Number (Box quantity)	15705020029735
Customs Tariff No.	82119500

Country of Origin Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

\*\* Lead (Pb, CAS: 7439-92-1) is on the REACH candidate list as a Substance of Very High Concern (SVHC). This product contains lead (Pb) in a concentration above 0.1% w/w. Consequently the REACH Regulation (EC) No. 1907/2006 require Vikan to notify our customers of the content of lead. This product is registered in the EU SCIP database. Please find SCIP number above.

3. Do not store the product below 32 °Fahrenheit.