Ergonomic shovel, 13.6", Blue





Use this durable Ergonomic Shovel to move large amounts of food waste or food ingredients. Ergonomically designed with the user's working position in mind, this product is ideal for working at floor level as well as shovelling from container to container.

Technical Data

Size Shovel Blade Inches L x W x H 14,92 x 13,58 x 3,54 " Material Polypropylene Anodised Aluminium Complies with (EC) 1935/2004 on food contact materials' Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of pithalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity Per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.593 fts Max. cleaning temperature (Dishwasher) 19.4 "F Max usage temperature (food contact)<	Item Number	56013
Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA-compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal and Kosher compliant Yes Design Registration No. UK 2072/052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 10 Pcs. Length 11.6 " Width 13.6 " Height 8.9 " Net Weight 4.1005 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Tare Cardboard 1.3 c	Size Shovel Blade Inches L x W x H	14,92 x 13,58 x 3,54 "
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max usage temperature (non food contact) 212 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. ph-value in usage c	Material	
Manufacturing Practice FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Use of Unity Per Layer (Pallet) 0 Pcs. Width 13.6 " Weight 8.9 " Net Weight 4.1005 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max usage temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Min. usage temperature 4 "F Min. pH-value in usage Co	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compilant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 2 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Ubs 1 Low Cardboard 0.3 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (non food contact) 212 "F Min. usage temperature (non food contact) 212 "F Min. usage temperature 2 P H Max. drying temperature 2 P H Max. ph-value in usage concentration 2 P H Max. ph-value in Usage Concentration 5705020560	FDA-compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Keight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.5 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 2 pH Max. pH-value in usage concentration 5705020560132 Customs Tariff No. 39241000	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant Yes Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight 4.1005 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Min. usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 2 pH Max. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020560132 Customs Tariff No. 39241000	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No. UK 2072052 Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight 4.1005 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Max usage temperature (non food contact) 212 "F Min. usage temperature 2 P Max. drying temperature 2 P Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020560132 Customs Tariff No. 39241000	Use of phthalates and bisphenol A	No
Box Quantity 1 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Min. usage temperature (non food contact) 212 "F Min. usage temperature 4 "F Max. drying temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 5705020560132 Customs Tarifff No. 39241000	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) 60 Pcs. Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight 4.1005 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Fare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Min. usage temperature (non food contact) 212 "F Min. usage temperature -4 "F Max. drying temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Design Registration No.	UK 2072052
Quantity Per Layer (Pallet) 0 Pcs. Length 51.6 " Width 13.6 " Height 8.9 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Max usage temperature -4 "F Min. usage temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Box Quantity	1 Pcs.
Length 51.6 " Width 13.6 " Height 8.9 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Max usage temperature (non food contact) 212 "F Min. usage temperature -4 "F Max. drying temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Quantity per Pallet (80 x 120 x 200 cm)	60 Pcs.
Width 13.6 " Height 8.9 " Net Weight 4.1005 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 "F Max. cleaning temperature (Dishwasher) 199.4 "F Max usage temperature (food contact) 212 "F Max usage temperature (non food contact) 212 "F Min. usage temperature -4 "F Max. drying temperature 248 "F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Quantity Per Layer (Pallet)	0 Pcs.
Height 8.9 " Net Weight 4.1005 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Length	51.6 "
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.12 lbs Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Width	13.6 "
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.12 lbsTare Cardboard0.39 lbsTare Total0.5 lbsGross Weight4.6027 lbsCubic Feet3.5933 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature-4 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Height	8.9 "
Tare Cardboard 0.39 lbs Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Net Weight	4.1005 lbs
Tare Total 0.5 lbs Gross Weight 4.6027 lbs Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000		0.12 lbs
Gross Weight4.6027 lbsCubic Feet3.5933 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Tare Cardboard	0.39 lbs
Cubic Feet 3.5933 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature -4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Tare Total	0.5 lbs
Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Gross Weight	4.6027 lbs
Max. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Cubic Feet	3.5933 ft3
Max usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Max. cleaning temperature (Dishwasher)	199.4 °F
Min. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Max usage temperature (food contact)	212 °F
Max. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Max usage temperature (non food contact)	212 °F
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Min. usage temperature	-4 °F
Max. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020560132Customs Tariff No.39241000	Max. drying temperature	248 °F
GTIN-12 Number 5705020560132 Customs Tariff No. 39241000	Min. pH-value in usage concentration	2 pH
Customs Tariff No. 39241000	Max. pH-value in Usage Concentration	10.5 pH
	GTIN-12 Number	5705020560132
Country of Origin Denmark	Customs Tariff No.	39241000
	Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.