77715

Replacement Cassette, 9.8", White





Technical Data

Material Polypropyleme Cellular ubber Complies with (EC) 1935/2004 on food contact materials¹ No FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DRI, DE, FR and GE. DE 6022008048400.9 Pos. Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 200 Pcs. Quantity Per Layer (Pallet) 20 Pcs. Length 9.8 " Width 1.2 " Height 1.8 " Not Weight Soymbol "4" Low Density Polyethylene (LOPE) 0.11 Ibs ULDPE (UPPE) Tare Cardboard 0.14 Ibs Tare Total 0.286 Ibs Gross Weight 0.286 Ibs Cubic Feet 0.011 ff Max. cleaning temperature (Dishwasher) 194 "F<	Item Number	77715
FDA-compliant raw material (CFR 21) Yes Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Length 9.8 " Width 1.2 " Height 0.1323 ibs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 ibs Tare Cardboard 0.14 ibs Tare Total 0.15 ibs Gross Weight 0.2866 ibs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (mon food contact) 176 °F Min. usage temperature 4 °F Min. pH-value in usage concentration 10.5 pH GTIN-12 Number<	Material	
Complies with UK 2019 No. 704 on food contact materials Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Length 9.8 " Width 1.2 " Height 0.1323 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (non food contact) 176 °F Min. usage temperature 4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Num	Complies with (EC) 1935/2004 on food contact materials ¹	No
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Length 9.8 " Width 1.2 " Height 1.8 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.1323 lbs Gross Weight 0.2866 lbs Cubic Feet 0.011 pt Max. cleaning temperature (Dishwasher) 194 °F Max. cleaning temperature (Food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. pH-value in usage concentration 2 pH Min. pH-value in usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900 <th>FDA-compliant raw material (CFR 21)</th> <th>Yes</th>	FDA-compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Length 9.8 " Width 1.2 " Height 1.8 " Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 76 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777155 Customs Tariff No. 40081900	Complies with UK 2019 No. 704 on food contact materials	Yes
S Halal and Kosher compliant Yes Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Length 9.8 " Width 1.2 " Height 1.8 " Net Weight 0.1323 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 1.5 lbs Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Min. usage temperature (mon food contact) 176 °F Min. usage temperature (mon food contact) 176 °F Min. usage temperature (Food contact) 176 °F Min. usage temperature (mon food contact) 176 °F Min. usage	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Pat. Pending/Patent No. EP2227129 validated in DK, DE, FR and GB. DE 602008048400.9 Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Length 9.8 " Width 1.2 " Height 0.1323 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Food contact) 176 °F Max usage temperature (food contact) 176 °F Min. usage temperature 4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Use of phthalates and bisphenol A	No
Box Quantity 20 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Length 9.8 " Width 1.2 " Height 0.1323 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.1 lbs Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Min. usage temperature (non food contact) 176 °F Min. usage temperature 4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777155 Customs Tariff No. 40081900	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 200 cm) 2200 Pcs. Quantity Per Layer (Pallet) 200 Pcs. Length 9.8 " Width 1.2 " Height 0.1323 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature 4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Pat. Pending/Patent No.	DK, DE, FR and GB. DE
Quantity Per Layer (Pallet)200 Pcs.Length9.8 "Width1.2 "Height1.8 "Net Weight0.1323 lbsWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.01 lbsTare Cardboard0.14 lbsTare Total0.15 lbsGross Weight0.2866 lbsCubic Feet0.0119 ft3Recommended sterilisation temperature (Autoclave)194 °FMax. cleaning temperature (Dishwasher)194 °FMax usage temperature (food contact)176 °FMax usage temperature4 °FMin. usage temperature4 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020777158GTIN-12 Number (Box quantity)15705020777155Customs Tariff No.40081900	Box Quantity	20 Pcs.
Length 9.8 Width 1.2 Height 1.8 Net Weight 0.1323 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature 4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Quantity per Pallet (80 x 120 x 200 cm)	2200 Pcs.
Width 1.2 " Height 1.8 " Net Weight \ 0.1323 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature (non food contact) 176 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Quantity Per Layer (Pallet)	200 Pcs.
Height 1.8 " Net Weight 0.1323 lbs Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) 0.01 lbs Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature 4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Length	9.8 "
Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature (autoclave) 176 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Width	1.2 "
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature (non food contact) 176 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Height	1.8 "
Tare Cardboard 0.14 lbs Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature -4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Net Weight	0.1323 lbs
Tare Total 0.15 lbs Gross Weight 0.2866 lbs Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature -4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900		0.01 lbs
Gross Weight0.2866 lbsCubic Feet0.0119 ft3Recommended sterilisation temperature (Autoclave)194 °FMax. cleaning temperature (Dishwasher)194 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)176 °FMin. usage temperature-4 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020777158GTIN-12 Number (Box quantity)15705020777155Customs Tariff No.40081900	Tare Cardboard	0.14 lbs
Cubic Feet 0.0119 ft3 Recommended sterilisation temperature (Autoclave) 194 °F Max. cleaning temperature (Dishwasher) 194 °F Max usage temperature (food contact) 176 °F Max usage temperature (non food contact) 176 °F Min. usage temperature -4 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Tare Total	0.15 lbs
Recommended sterilisation temperature (Autoclave)194 °FMax. cleaning temperature (Dishwasher)196 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)176 °FMin. usage temperature-4 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020777158GTIN-12 Number (Box quantity)15705020777155Customs Tariff No.40081900	Gross Weight	0.2866 lbs
Max. cleaning temperature (Dishwasher)194 °FMax usage temperature (food contact)176 °FMax usage temperature (non food contact)176 °FMin. usage temperature-4 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020777158GTIN-12 Number (Box quantity)15705020777155Customs Tariff No.40081900	Cubic Feet	0.0119 ft3
Max usage temperature (food contact)176 °FMax usage temperature (non food contact)176 °FMin. usage temperature-4 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020777158GTIN-12 Number (Box quantity)15705020777155Customs Tariff No.40081900	Recommended sterilisation temperature (Autoclave)	194 °F
Max usage temperature (non food contact)176 °FMin. usage temperature-4 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020777158GTIN-12 Number (Box quantity)15705020777155Customs Tariff No.40081900	Max. cleaning temperature (Dishwasher)	194 °F
Min. usage temperature-4 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGTIN-12 Number5705020777158GTIN-12 Number (Box quantity)15705020777155Customs Tariff No.40081900	Max usage temperature (food contact)	176 °F
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Max usage temperature (non food contact)	176 °F
Max. pH-value in Usage Concentration 10.5 pH GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Min. usage temperature	-4 °F
GTIN-12 Number 5705020777158 GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Min. pH-value in usage concentration	2 pH
GTIN-12 Number (Box quantity) 15705020777155 Customs Tariff No. 40081900	Max. pH-value in Usage Concentration	10.5 pH
Customs Tariff No. 40081900	GTIN-12 Number	5705020777158
	GTIN-12 Number (Box quantity)	15705020777155
Country of Origin Denmark	Customs Tariff No.	40081900
	Country of Origin	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.